



SHAPING
DISTINCTIVE
SPACES WITH
MINIMAL GRACE

80x300cm |
80x240cm |

Thickness 15mm
Porcelain Slabs



Porcelain Slabs




Solutions for Countertops

Surfaces that
adorn your kitchen
with the utmost
practicality




Application Areas

The dynamic application areas make it a suitable choice for your entire space, giving it a continuous and enlarged effect!



02




01



03



04




01 Wardrobe


02 Table top

03 Floor | Wall


04 Table




05




06



07



08



09

05 TV Unit


06 Kitchen Area

07 Dining Table

08 Counter top

09 Furniture Table

10 Study Table



10

Sizes that can easily adapt to your space!

Sizes



Our 80x300cm and 80x240cm surfaces have been curated to look into your vivid needs and to mark a tick against the ultimate quality checkboxes.

Surreal finishes that add a surreal and scenic vibe!

Fullbody / Colourbody


Finishes



Rematt



Metallic



Polish



Elegance



Luminous



Repose




Sahara





Grace

Multiple edges for your multiple corners!









Edges



Product Range / 15mm




Product Range / 15mm



Sepos Chalk



80x300cm



80x240cm



Body Type :

Full Body

Thickness :

15mm

Available Finishes :


Polish | Rematt

Applications Area :

Floor | Wall | Commercial | Facade
Vanity top | Counter top | Table top



Sepos Trigo



80x300cm



80x240cm

Body Type :

Full Body

Thickness :

15mm

Available Finishes :

Polish | Rematt

Applications Area :

Floor | Wall | Commercial | Facade
Vanity top | Counter top | Table top



Sepos White



80x300cm



80x240cm

Body Type :

Full Body

Thickness :

15mm

Available Finishes :

Polish | Rematt

Applications Area :

Floor | Wall | Commercial | Facade
Vanity top | Counter top | Table top



Sepos Gris



80x300cm



80x240cm



Body Type :

Full Body

Thickness :

15mm

Available Finishes :


Polish | Rematt

Applications Area :

Floor | Wall | Commercial | Facade
Vanity top | Counter top | Table top



Sepos Nero



80x300cm



80x240cm



Body Type :

Full Body

Thickness :

15mm

Available Finishes :

Polish | Rematt

Applications Area :


Floor | Wall | Commercial | Facade
Vanity top | Counter top | Table top



Mono Brown



80x300cm



Body Type :

Full Body

Thickness :

15mm

Available Finishes :


Polish | Rematt

Applications Area :


Floor | Wall | Commercial | Facade
Vanity top | Counter top | Table top




Mono Grey



80x300cm



80x240cm



Body Type :

Full Body

Thickness :

15mm


Available Finishes :

Polish | Rematt

Applications Area :

Floor | Wall | Commercial | Facade
Vanity top | Counter top | Table top

Mono White



80x300cm



Body Type :

Full Body

Thickness :

15mm


Available Finishes :

Polish | Rematt


Applications Area :

Floor | Wall | Commercial | Facade
Vanity top | Counter top | Table top


Mono Ash Grey



80x300cm



80x240cm
Polish



Body Type :

Full Body

Thickness :

15mm

Available Finishes :


Polish | Rematt

Applications Area :


Floor | Wall | Commercial | Facade
Vanity top | Counter top | Table top




Mono Black



80x300cm



80x240cm
Polish



Body Type :

Full Body

Thickness :

15mm

Available Finishes :

Polish | Rematt

Applications Area :

Floor | Wall | Commercial | Facade
Vanity top | Counter top | Table top

Mono Iceburg



80x240cm

Body Type :

Full Body

Thickness :

15mm

Available Finishes :

Polish | Rematt

Applications Area :


Floor | Wall | Commercial | Facade
Vanity top | Counter top | Table top



Mono Kota



80x240cm



Body Type :

Full Body

Thickness :

15mm

Available Finishes :

Polish | Rematt


Applications Area :

Floor | Wall | Commercial | Facade
Vanity top | Counter top | Table top

Mono Verde



80x240cm



Body Type :

Full Body

Thickness :

15mm

Available Finish :

Polish

Applications Area :

Floor | Wall | Commercial | Facade
Vanity top | Counter top | Table top



Quartzite White



80x240cm



Body Type :

Full Body

Thickness :

15mm

Available Finish :

Polish

Applications Area :

Floor | Wall | Commercial | Facade
Vanity top | Counter top | Table top



Quartzite Beige



80x240cm



Body Type :

Full Body

Thickness :

15mm

Available Finish :

Polish

Applications Area :

Floor | Wall | Commercial | Facade
Vanity top | Counter top | Table top

Quartzite Choco



80x240cm



Body Type :

Full Body

Thickness :

15mm

Available Finish :

Polish

Applications Area :

Floor | Wall | Commercial | Facade
Vanity top | Counter top | Table top



Cristal White



80x300cm



80x240cm



Body Type :

Color Body

Thickness :

15mm

Available Finish :

Elegance

Applications Area :

Floor | Wall | Commercial | Facade
Vanity top | Counter top | Table top

Statuario Reale



80x300cm



Body Type :

Color Body

Thickness :

15mm

Available Finish :

Elegance

Applications Area :

Floor | Wall | Commercial | Facade
Vanity top | Counter top | Table top



Bianca Fiore



80x300cm



Body Type :

Color Body

Thickness :

15mm

Available Finish :

Elegance

Applications Area :

Floor | Wall | Commercial | Facade
Vanity top | Counter top | Table top



Calacatta Luna



80x300cm



Body Type :

Color Body

Thickness :

15mm

Available Finish :

Elegance

Applications Area :

Floor | Wall | Commercial | Facade
Vanity top | Counter top | Table top



African Ebony



80x300cm



Body Type :

Color Body

Thickness :

15mm

Available Finish :

Luminous

Applications Area :

Floor | Wall | Commercial | Facade
Vanity top | Counter top | Table top

Magma Gold



80x300cm



Body Type :

Color Body

Thickness :

15mm

Available Finish :

Luminous

Applications Area :

Floor | Wall | Commercial | Facade
Vanity top | Counter top | Table top

Golden Portoro



80x300cm



Body Type :

Color Body

Thickness :

15mm


Available Finish :

Luminous


Applications Area :

Floor | Wall | Commercial | Facade
Vanity top | Counter top | Table top

Markina Olspe



80x300cm



Body Type :

Color Body

Thickness :

15mm

Available Finish :


Luminous

Applications Area :


Floor | Wall | Commercial | Facade
Vanity top | Counter top | Table top



Noir Serpents



80x300cm



Body Type :

Color Body

Thickness :

15mm

Available Finish :

Luminous


Applications Area :

Floor | Wall | Commercial | Facade
Vanity top | Counter top | Table top

Titanium Gold



80x300cm



Body Type :

Color Body

Thickness :

15mm


Available Finish :

Luminous


Applications Area :

Floor | Wall | Commercial | Facade
Vanity top | Counter top | Table top

Eclipse Black



80x300cm



Body Type :

Color Body

Thickness :

15mm


Available Finish :

Luminous


Applications Area :

Floor | Wall | Commercial | Facade
Vanity top | Counter top | Table top

Zed Black



80x300cm



80x240cm
Luminous

Body Type :

Color Body

Thickness :

15mm

Available Finishes :


Luminous & Repose

Applications Area :

Floor | Wall | Commercial | Facade
Vanity top | Counter top | Table top



Sparkle White



80x300cm



80x240cm



Body Type :

Color Body

Thickness :

15mm

Available Finish :

Metallic

Applications Area :



Floor | Wall | Commercial | Facade
Vanity top | Counter top | Table top



Sparkle Nero



80x300cm



80x240cm



Body Type :

Color Body

Thickness :

15mm

Available Finish :


Metallic

Applications Area :

Floor | Wall | Commercial | Facade
Vanity top | Counter top | Table top



Rivera Ossido



80x240cm



Body Type :

Color Body

Thickness :

15mm


Available Finish :

Sahara

Applications Area :

Floor | Wall | Commercial | Facade
Vanity top | Counter top | Table top

Flint Nero



80x240cm



Body Type :

Color Body

Thickness :

15mm


Available Finish :

Sahara


Applications Area :

Floor | Wall | Commercial | Facade
Vanity top | Counter top | Table top

Saint Laurent



80x240cm



Body Type :

Color Body

Thickness :

15mm

Available Finish :

Sahara

Applications Area :

Floor | Wall | Commercial | Facade
Vanity top | Counter top | Table top

Black Bonanza



80x240cm



Body Type :

Color Body

Thickness :

15mm

Available Finish :

Sahara

Applications Area :

Floor | Wall | Commercial | Facade
Vanity top | Counter top | Table top

Varde Royal



80x240cm



Body Type :

Color Body

Thickness :

15mm

Available Finish :

Sahara

Applications Area :

Floor | Wall | Commercial | Facade
Vanity top | Counter top | Table top

Solid White



80x240cm

Body Type :

Color Body

Thickness :

15mm

Available Finish :


Sahara

Applications Area :

Floor | Wall | Commercial | Facade
Vanity top | Counter top | Table top



Solid Black



80x240cm

Body Type :

Color Body

Thickness :

15mm

Available Finish :

Sahara

Applications Area :

Floor | Wall | Commercial | Facade
Vanity top | Counter top | Table top



Bianca Fiore



80x240cm



Body Type :

Color Body

Thickness :

15mm

Available Finish :

Grace

Applications Area :

Floor | Wall | Commercial | Facade
Vanity top | Counter top | Table top

Calacatta Luna



80x240cm



Body Type :

Color Body

Thickness :

15mm

Available Finish :

Grace

Applications Area :

Floor | Wall | Commercial | Facade
Vanity top | Counter top | Table top

Ice Burg Blanco



80x240cm



Body Type :

Color Body

Thickness :

15mm


Available Finish :

Grace

Applications Area :

Floor | Wall | Commercial | Facade
Vanity top | Counter top | Table top

Macchia Vecchia



80x240cm



Body Type :

Color Body

Thickness :

15mm

Available Finish :

Grace

Applications Area :

Floor | Wall | Commercial | Facade
Vanity top | Counter top | Table top

White Macaubas



80x240cm



Body Type :

Color Body

Thickness :

15mm

Available Finish :

Grace

Applications Area :

Floor | Wall | Commercial | Facade
Vanity top | Counter top | Table top

Technical Detail

| CHARACTERISTIC | STANDARD AS PER ISO13006:2018/ EN14411 Gr.Bla | STANDARD AS PER IS 15622:2017 Gr.Bla | METHOD OF TESTING | MEAN VALUE OF CERA CERAMICA |
|------------------------------------------------------------------|-----------------------------------------------|--------------------------------------|---------------------------|----------------------------------------------------------------|
| Regulatory Properties | | | | |
| Deviation in Length and Width | ±0.30 % (±1.00 mm) | ±0.10 % | ISO 10545-2/ IS 13630-1 | ±0.10 % |
| Deviation in Thickness | ±5.0 % (± 0.50 mm) | ±5.0 % | ISO 10545-2/ IS 13630-1 | ±5.0 % |
| Straightness in Side | ±0.30 % (± 0.80 mm) | ±0.10 % | ISO 10545-2/ IS 13630-1 | ±0.10 % |
| Rectangularity | ±0.30 % (±1.50 mm) | ±0.10% | ISO 10545-2/ IS 13630-1 | ±0.10 % |
| Surface Flatness Central Curvature | ±0.40 % (± 1.80 mm) | ±0.50 % | ISO 10545-2/ IS 13630-1 | ±0.20 % |
| Surface Flatness Edge Curvature | ±0.40 % (± 1.80 mm) | ±0.50 % | ISO 10545-2/ IS 13630-1 | ±0.20 % |
| Surface Flatness Warpage | ±0.40 % (± 1.80 mm) | ±0.50 % | ISO 10545-2/ IS 13630-1 | ±0.10 % |
| Surface Quality | >95% defects free | >95% defects free | ISO 10545-2/ IS 13630-1 | >95% defects free |
| Small Color Difference (For Plain Colour) Glazed | ΔE <0.75 | N.A. | ISO 10545-16 | No change |
| Small Color Difference (For Plain Colour) Unglazed | ΔE <1.00 | N.A. | ISO 10545-16 | ΔE <0.80 |
| Glossiness (Polished) | As per Manufacturer | N.A. | Gloss Meter 60° | ≥ 90 |
| Structural Properties | | | | |
| Water Absorption | ≤0.50 % | ≤0.080 % | ISO 10545-3/ IS 13630-2 | ≤0.080 % |
| Bulk Density | As per Manufacturer | Min 2.20 gm/cc | ISO 10545-3/ IS 13630-2 | > 2.28 gm/cc |
| Massive Mechanical Properties | | | | |
| Modulus of Rupture | Min. 35.0 N/mm ² | Min. 35.0 N/mm ² | ISO 10545-4/ IS 13630-6 | Min. 37.0 N/mm ² |
| Modulus of Rupture (15mm) | Min. 35.0 N/mm ² | Min. 35.0 N/mm ² | ISO 10545-4/ IS 13630-6 | Min. 40.0 N/mm ² |
| Breaking Strength Thickness ≥7.5 mm | Min 1300.0 N | Min 1300.0 N | ISO 10545-4/ IS 13630-6 | Min 1500.0 N |
| Breaking Strength Thickness ≥7.5 mm (15mm) | Min 1300.0 N | Min 1300.0 N | ISO 10545-4/ IS 13630-6 | Min 6000 N |
| Breaking Strength Thickness <7.5 mm | Min 700.0 N | Min 700.0 N | ISO 10545-4/ IS 13630-6 | Min 1000.0 N |
| Surface Mechanical Properties | | | | |
| MOH'S Hardness # | As per Manufacturer | Min. 5 | BS EN 15771/ IS 13630-13 | Polished - 4 Min Posh, CRV, Matt - 6 Min StrongX - 8 Min |
| Surface Abrasion Resistance # | As per Manufacturer | Min. Class II | ISO 10545-7/ IS 13630-11 | Polished- Class II Min Posh, CRV, Matt - Class III Min |
| Deep Abrasion (Unglazed full body tile) | 175 mm ³ | 140 mm ³ | ISO 10545-6/ IS 13630-12 | StrongX - Class IV Min 132 mm ³ |
| Thermal Hygrometric Properties | | | | |
| Moisture Expansion | Max 0.06% (0.6 mm/m) | Max 0.02 mm/m | ISO 10545-10/ IS 13630-3 | Max 0.02 mm/m |
| Thermal Expansion (COE) at 100°C | As per Manufacturer | Max. 6.0x10-6 | ISO 10545-8/ IS 13630-4 | Max. 6.0x10-6 |
| Thermal Shock Resistance | Min 10 Cycle | Min 10 Cycle | ISO 10545-9/ IS 13630-5 | Min 10 Cycle |
| Impact Resistance (COR) # | Min. 0.55 | Min 0.55 | ISO 10545-5/ IS 13630-14 | Min 0.55 |
| Frost Resistance | As per Manufacturer | As per Manufacturer | ISO 10545-12/ IS 13630-10 | Frost Proof |
| Crazing Resistance at 75 bar | 4 Cycle | 4 Cycle | ISO 10545-11/ IS 13630-9 | 6 Cycle |
| Chemical Properties | | | | |
| Resistance to Staining Glazed | Min. Class 3 | Min Class 1 | ISO 10545-14/ IS 13630-8 | Min Class 4/Min Class 1 |
| Resistance to Staining Unglazed | As per Manufacturer | Min Class 2 | ISO 10545-14/ IS 13630-8 | Min Class 4 |
| Resistance to Household Chemicals & Swimming Pool Salts Glazed | Min Class GB | Min Class AA | ISO 10545-13/ IS 13630-8 | Min Class GB/ Min Class AA |
| Resistance to Household Chemicals & Swimming Pool Salts Unglazed | Min Class UB | As per Manufacturer | ISO 10545-13/ IS 13630-7 | Min Class UB |
| Resistance to Acid and Alkalis Glazed | As per Manufacturer | As per Manufacturer | ISO-10545-13/ IS 13630-8 | Min Class GLB*** & GHB***/Min Class A** |
| Resistance to Acid and Alkalis Unglazed | As per Manufacturer | As per Manufacturer | ISO-10545-13/ IS 13630-8 | Min Class ULB*** & UHB***/Min Class A** |
| Safety Properties | | | | |
| Skid Resistance - (DCOF-WET PENDULUM) ## | As per Manufacturer | As per Manufacturer | ASTM E-303 | Polished: < 0.2 Matt: > 0.3 StrongX: > 0.4 |
| Slip Resistance - (Ramp test Value) | As per Manufacturer | As per Manufacturer | DIN 51130 | Matt & Posh: R9 - R10 StrongX: R10 R11 Surface: R11 |
| Lead and Cadmium release | As per Manufacturer | N.A. | ISO-10545-15 | Does not yield Pb & Cd |



Packing Detail

| SIZE | ACTULE SIZE | THICKNESS | TILES / BOX | COVERAGE AREA / BOX |
|----------|-------------|-----------|-------------|-----------------------|
| 80x300cm | 800x3000mm | 15 mm | 1 pc | 25.83 Sq ft 2.40 Sq m |
| 80x240cm | 800x2400mm | 15 mm | 1 pc | 20.67 Sq ft 1.92 Sq m |